

**Form – IV**

(See rule 13)

**ANNUAL REPORT**

[To be submitted to the prescribed authority on or before 30<sup>th</sup> June every year for the period from January to December of the preceding year, by the occupier of Health Care Facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl.No	PARTICULARS	
1	Particulars of the Occupier	
	i) Name of the authorised person (occupier or operator of facility)	GGK Murthy Head -Works
	ii) Name of HCF	Zuari Cement Health Centre of M/s Zuari Cement Limited
	iii) Address for Correspondence	M/s Zuari Cement Limited, Krishnanagar, Yerraguntla – 516311, YSR Kadapa dist – A.P 08563-275107
	iv) Address of Facility	M/s Zuari Cement Limited, Krishnanagar, Yerraguntla – 516311, YSR Kadapa dist – A.P 08563-275107
	v) Tel. No, Fax. No.	Tel : 08563-275107 Fax : 08563-275164
	vi) E-mail ID	m.gopalakrishna@zcltd.com
	vii) URL of Website	<a href="http://www.zuaricements.com">www.zuaricements.com</a>
	viii) GPS Co-ordinates of HCF or CBMWTF	14°35'56"N 78°31'05"E
	ix) Ownership of HCF or CBMWTF	Zuari Cement Health Centre of M/s Zuari Cement Limited
	x) Status of Authorisation under the Bio-Medical Waste (Management and Handling) Rules	Authorization No: Order No.: Lr No 202/PCB/RO/TPT/BMWM/2017-493 dt: 04.05.2017.
	xi) Status of Consents under Water Act and Air Act	Authorization No: Renewal Order Dated 07.04.2023. Valid up to :31.03.2028
2	Type of Health Care Facility	
	i) Bedded Hospital	No. of Beds : 3
	ii) Non-bedded hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	Not Applicable
	iii) License number and its date of expiry	Factory License : 22704
3.	Details of CBMWTF	
	i) Number of healthcare facilities covered by CBMWTF	Not Applicable
	ii) No. of beds covered by CBMWTF	Not Applicable

	iii) Installed treatment and disposal capacity of CBMWTF:	<u>Not Applicable</u> Kg/day			
	iv) Quantity of biomedical waste treated or disposed by CBMWTF:	<u>Not Applicable</u> Kg/day			
4	Quantity of waste generated or disposed in kg per annum (on monthly average basis)	Yellow Category : 34.98 Kg/Annum			
		Red Category : 32.29 Kg/Annum			
		White (Translucent) : 25.71 Kg/Annum			
		Blue Category : Nil			
5	Details of Storage, treatment, transportation, processing and Disposal Facility				
	i) Details of the onsite storage facility	Size : Not Applicable			
		Capacity : Not Applicable			
		Provision of on-site storage : (cold storage or any other provision) : Not Applicable			
	ii) Brief details of the onsite treatment facilities	Type of Treatment Equipment	No. of Units	Capacity [Kg/day]	Quantity treated/ disposed [Kg/annum]
		Incinerators	NA		
		Plasma Pyrolysis			
		Autoclaves			
		Microwave			
		Hydroclave			
		Shredder			
		Needle tip cutter or destroyer			
		Sharps encapsulation or concrete pit			
		Deep burial pits			
		Chemical disinfection			
		Any other treatment equipment			
	iii) Quantity of recyclable wastes sold to authorised recyclers after treatment in kg/annum	Not Applicable			
	iv) No. of vehicles used for collection and transportation of biomedical waste	1			
	v) Details of incineration as and ETP sludge generated and disposed during the treatment of wastes in Kg per annum		Quantity Generated	Where Disposed	
		Incineration Ash	<u>Not Applicable</u>	<u>Not Applicable</u>	
		ETP Sludge	<u>Not Applicable</u>	<u>Not Applicable</u>	
	vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of	Zuari Cement health centre is tie up with M/s Sriven Environ Technologies, Ananthapuram for Bio-Medical Waste collection and Treatment.			
	vii) List of member HCF not handed over bio-medical waste	<u>Not Applicable</u>			
6	Do you have Bio-Medical waste management committee? If yes, attach minutes of meetings held during the reporting period	<u>Not Applicable</u>			

7	Details of trainings conducted on BMW	
	i) Number of training conducted on BMW Management	2
	ii) Number of personnel trained	8
	iii) Number of personnel trained at the time of induction	All new joiners are trained during induction.
	iv) Number of personnel not undergone any training so far	Nil
	v) Whether standard manual for training is available?	Yes
	vi) Any other information	--
8	Details of accident occurred during the year	
	i) Number of Accidents occurred	Nil
	ii) Number of persons affected	Nil
	iii) Remedial Action taken (Please attach details if any)	Nil
	iv) Any Fatality occurred, details.	Nil
9	Are you meeting the standards of air pollution from the incinerator? How many times in the last year could not meet the standards?	<i>Not Applicable</i>
	Details of continuous online emission monitoring systems installed	<i>Not Applicable</i>
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?	<i>Not Applicable</i>
11	Is the disinfection method or sterilisation meeting the log 4 standards? How many times you have not met in a year?	<i>Not Applicable</i>
12	Any other relevant information	--

Certified that above report is for the period from: 01.01.2024 to 31.12.2024.

Name and Signature of the Head of the Institution

Date:26.06.2025

Place: Krishnagar